

# Remote sensing based assessment of woody biomass and carbon storage in forests



## RemBioFor

*R&D project, which aim is to work out the complex method of defining selected forest stand descriptions as well as aboveground biomass and carbon sequestration, based on the use of remote sensing for the purposes of forest management planning.*

The aim of the project was to work out the complex method of defining selected forest stand descriptions as well as aboveground biomass and carbon sequestration, based on the use of remote sensing for the purposes of forest management planning.

Among main goals were:

- acquisition and processing of remote sensing, laboratory and field data,
- determining the amount of biomass and carbon in the forest based on radar data,
- development of methods for the inventory of selected stand descriptions, growing stock and biomass with the use of active remote sensing techniques,
- local correction of dendrometric volume equations based on terrestrial laser scanning data (TLS),
- development of the merchantable volume conversion factors into biomass and carbon.

Results of the project allow to: reduce time needed to carry out the work of the forest management, especially inventory of growing stock; obtain higher accuracy of the CO<sub>2</sub> balance, biomass and annual allowable cut calculations; determine growing stock for any forest area; reduce cost of field work in forest management.

## DETAILS

---

HERKUNFT DES HOLZES

--

ART DES HOLZES

--

ART DES BETROFFENEN HOLZES

--

AUSWIRKUNGEN AUF UMWELT UND BIODIVERSITÄT

--

EINKOMMENSEFFEKT

--

VERWERTUNGSPOTENZIAL

--

NABE

Drehscheibe Mitte-Ost

WIRTSCHAFTLICHE AUSWIRKUNGEN

--

SPEZIFISCHES WISSEN ERFORDERLICH

--

MOBILISIERUNGSPOTENZIAL

--

POTENZIAL FÜR NACHHALTIGKEIT - WERT

--

LEICHTE IMPLEMENTIERUNG

--

LEICHTE IMPLEMENTIERUNG - BEWERTUNG

--

WICHTIGE VORAUSSETZUNGEN

--

ART DER VERANSTALTUNG, AUF DER DIESE BPI VORGESTELLT WURDE

Studienaufenthalt (T2.3)

ARBEITSPLATZEFFEKT

--

KOSTEN DER IMPLEMENTIERUNG (EURO - €)

--

## MEHR DETAILS

---

### ANGESPROCHENE HERAUSFORDERUNG

1. Verbesserung der Widerstandsfähigkeit der Wälder und ihrer Anpassung an den Klimawandel

### SCHLÜSSELWÖRTER

remote sensing techniques; carbon sequestration; forestry

### HERKUNFTSLAND

Polen

### DOMÄNE

Bestandsaufnahme, Bewertung, Überwachung  
Waldmanagement, Waldbau, Ökosystemleistungen,  
Resilienz  
Forschung und Entwicklung

### DIGITALE LÖSUNG

Ja

### UMFANG DER ANWENDUNG

National

### ART DER LÖSUNG

Modellierung, DSS, Simulation, Optimierung

### INNOVATION

Ja

### ANFANGS- UND ENDJAHR

2015 - 2018

## KONTAKTDATEN

---

### EIGENTÜMER ODER AUTOR

Instytut Badawczy Leśnictwa  
Krzysztof Stereńczak  
K.Sterenczak@ibles.waw.pl  
<https://www.ibles.pl/>

### REPORTER

Łukasiewicz Research Network - Wood Technology Institute (ITD)  
Dobrochna Augustyniak-Wysocka  
[dobrochna.augustyniak@itd.lukasiewicz.gov.pl](mailto:dobrochna.augustyniak@itd.lukasiewicz.gov.pl)

## REFERENCES AND RESOURCES

---

### HAUPT-WEBSITE

<http://rembiofor.pl/en/>

### RESSOURCEN

Parkitna K., Krok G., Lisańczuk M., Mitelsztedt K., Ukalski K., Magnussen S., Markiewicz A., Miścicki S., Stereńczak K. 2021. Modelling growing stock volume of forest stands with the use of selected LiDAR Area Based Approaches in various predictive models. *Forestry: An International Journal of Forest Research*

**PROJEKT-WEBSITE**

<http://rembiofor.pl/en/>

**PROJEKT-REFERENZ**

Remote sensing based assessment of woody biomass and carbon storage in forests (REMBIOFOR), National Centre for Research and Development within the program „Natural environment, agriculture and forestry” BIOSTRATEG, agreement no. BIOSTRATEG1/267755/4/NCBR/2015

LOGO DER BEST PRACTICE \_\_\_\_\_

LOGO DER HAUPTORGANISATION \_\_\_\_\_



PROJEKT, IN DESSEN RAHMEN DIESES FACTSHEET ERSTELLT WURDE

Rosewood 4.0

BEITRAGSDATUM

12 Aug. 2021



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY

