

Joint wood terminals



A joint wood terminal means a built-up area suitable for the storage and handling of timber species. The operations performed at the wood terminal are determined by the operator according to their needs.

One of the challenges in wood mobilization is small-scale wood units within long distances from the nearest roads. These units are not profitable for harvesting, since forest and long-distance transportation are of high costs. The answer to the challenge might lie in bigger wood terminals where wood from multiple small-scale units would be gathered from the same area for intermediate storage. In general, storing the wood is sensible at a distance of about 100 to 150 km from the site of use. The best location for intermediate storage is at the beginning of forest roads.

In Lapland, for instance, a few big terminals have been built close to the railway to advance the efficiency of wood transportation by train. In the provinces, larger terminals are usually located mainly according to the needs of industry and large forestry companies. Benefits of common terminals occur especially in wintertime, when maintenance of storage area could be done commonly or by the certain terminal operator. The joint terminals are well suited for energy wood and wood for which the need for storage is at a different time. This allows continuous use of area.

Operating culture, various practices, and lack of cooperation of the actors are experienced to restrict the wider deployment of common terminals. However, an increase in wood flows will require building more terminals. There is a need for more joint terminals, but it requires cooperation between forest service providers. It would be highly useful to gather the intermediate storage places in one map-based spatial database, which would be open-accessed for all the service providers. This would advance bringing together different actors in the wood procurement chain. In summary, the main benefits comprise:

- Joint wood terminals of forest companies for short-term storage of wood
- Profitable harvesting from the small-scale unit
- Efficiency in wood transportation by train
- Less environmental effects because of centralized terminals

DÉTAILS

ORIGINE DU BOIS

Forêt

TYPE DE BOIS

Grume

TYPE DE BOIS CONCERNÉ

Stemwood, energy wood

IMPACT SUR L'ENVIRONNEMENT ET LA BIODIVERSITÉ

Environmental effects burdening only big terminals instead of several small terminals.

EFFET SUR LE REVENU

Positive

POTENTIEL D'EXPLOITATION

--

HUB

Pôle Nord

IMPACT ÉCONOMIQUE

Cost-effectiveness in joint maintenance of terminal and in transportation.

CONNAISSANCES SPÉCIFIQUES REQUISES

--

POTENTIEL DE MOBILISATION

High

POTENTIEL DE DURABILITÉ - VALEUR

--

FACILITÉ D'IMPLÉMENTATION

Medium

FACILITÉ D'IMPLÉMENTATION - ÉVALUATION

--

PRÉREQUIS CLÉS

Involve all relevant stakeholders in the development.

TYPE D'ÉVÉNEMENT OÙ CETTE ICPE A ÉTÉ PRÉSENTÉE

--

EFFET SUR L'EMPLOI

Positive

COÛTS D'IMPLÉMENTATION (EURO - €)

--

**PLUS DE
DÉTAILS**

DÉFI CONCERNÉ	DOMAINE	TYPE DE SOLUTION
5. Accroître les performances économiques et environnementales de la chaîne logistique forestière	Récolte, infrastructure, logistique	Plateformes de collaboration, hubs logistiques
MOTS-CLÉS	SOLUTION DIGITALE	INNOVATION
terminal transportation	Non	Non
PAYS D'ORIGINE	ECHELLE D'APPLICATION	DÉBUT ET FIN D'ANNÉE
Finlande	Nationale	--

PROJET SOUS LEQUEL CETTE FICHE D'INFORMATION A été CRééE

Rosewood

DATE DE PUBLICATION

17 sep 2019



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY

