

Development of visual and mechanical sorting tools for the enhancement of structural sawn timber



Structural sawn timber intended for construction must offer similar guarantees to those offered by other materials and products intended for the structural construction sector. For this purpose, it is necessary to develop classification tools that allow manufacturers and marketers to certify the strength and stiffness values of all the wood that is placed on the market (adjusted to the species and origin that corresponds).

It is, in addition to being a legal obligation, a tool for the valuation of wood that is enabling a competitive improvement of its industrial network.

Technological development of structural sawn timber not only enables it to be directly promoted in the construction sector as a construction element, but also to be incorporated into the manufacture of technological products with high added value, such as glued laminated timber, duos, trios, CLT, prefabricated panels... These are high value-added products that require high levels of competitiveness that cannot be achieved without their main raw material, structural sawn timber, increasing its competitiveness, optimising its manufacturing times and its declared mechanical properties

Visual classification tools have been developed for the main commercial wood species found in Spanish forest stands, such as *Pinus sylvestris*, *Pinus insignis*, *Pinus nigra*, *Pinus pinaster*, *Abies alba*, *Pseudotsuga menziesii*, *Quercus rubra*, *Castanea sativa* and *Eucalyptus globulus*. Tools that in many cases enable the possibility of classifying structural sawn timber into three structural qualities, which allows the different qualities of wood that the timber industry places on the construction market to be classified and valued.

Mechanical classification systems are currently being developed for the main species of the *Pinus* genus. This is one more step in the competitive improvement of this type of wood, as it improves the classification times and the classifying performance in the different mechanical qualities.

Both developments have enhanced the value of the wood of the different wood species characterized, and have promoted its use in construction.

DETALJI

PODRIJETLO DRVA

Industrija

VRSTA DRVA

Deblo

POTENCIJAL ZA POVEĆANJE UPORABE DRVA

300,000 m³

POTENCIJAL ODRŽIVOSTI - VRIJEDNOST

--

ODGOVARAJUĆA VRSTA DRVA

Pinus sylvestris, Pinus nigra, Pinus radiata, Pinus pinaster, Pseudotsuga menziessii, Larix sp, Quercus rubra, Abies alba

JEDNOSTAVNOST PROVEDBE

Very easy

UTJECAJ NA OKOLIŠ I BIORAZNOLIKOST

Positive, it mobilizes wood with a proper forest management

JEDNOSTAVNOST PROVEDBE - EVALUACIJA

--

UČINAK NA PRIHOD

Positive, more quality timber is mobilized

KLJUČNI PREDUVJETI

Experience on manufacturing and classification of structural timber

POTENCIJAL ISKORISTIVOSTI

--

VRSTA DOGAĐAJA NA KOJEM JE PRIKAZAN OVAJ BPI

--

SREDIŠTE

--

UČINAK NA ZAPOŠLJIVOST

Positive through better competitiveness

GOSPODARSKI UČINAK

Structural timber value increases in 10€/m³ approximately

TROŠKOVI PROVEDBE (EURO - €)

--

POTREBNA POSEBNA ZNANJA

Knowledge about Physical-mechanical properties of wood. Harmonized rules

needed

VIŠE DETALJA

IZAZOV

--

DOMENA

Industrije utemeljene na šumama, bio / kružna ekonomija

Drvena građevinska industrija

VRSTA RJEŠENJA

--

KLJUČNE RIJEČI

--

DIGITALNO RJEŠENJE

Ne

INOVACIJA

Ne

ZEMLJA PODRIJETLA

Španjolska

PODRUČJE PRIMJENE

Nacionalna

POČETAK I KRAJ GODINE

2011 -

KONTAKT PODATCI

VLASNIK ILI AUTOR

edgar.lafuente@cesefor.com

IZVJESTITELJ

REFERENCES AND RESOURCES

GLAVNA WEB STRANICA

<http://www.cesefor.com>

WEB STRANICA PROJEKTA

--

REFERENCA PROJEKTA

--

IZVORI

--

PROJEKT U OKVIRU KOJEG JE INFORMATIVNI LIST KREIRAN

Rosewood

DATUM UNOSA

30 kol 2019



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY

