

Development of visual and mechanical sorting tools for the enhancement of structural sawn timber



Structural sawn timber intended for construction must offer similar guarantees to those offered by other materials and products intended for the structural construction sector. For this purpose, it is necessary to develop classification tools that allow manufacturers and marketers to certify the strength and stiffness values of all the wood that is placed on the market (adjusted to the species and origin that corresponds).

It is, in addition to being a legal obligation, a tool for the valuation of wood that is enabling a competitive improvement of its industrial network.

Technological development of structural sawn timber not only enables it to be directly promoted in the construction sector as a construction element, but also to be incorporated into the manufacture of technological products with high added value, such as glued laminated timber, duos, trios, CLT, prefabricated panels... These are high value-added products that require high levels of competitiveness that cannot be achieved without their main raw material, structural sawn timber, increasing its competitiveness, optimising its manufacturing times and its declared mechanical properties

Visual classification tools have been developed for the main commercial wood species found in Spanish forest stands, such as *Pinus sylvestris*, *Pinus insignis*, *Pinus nigra*, *Pinus pinaster*, *Abies alba*, *Pseudotsuga menziesii*, *Quercus rubra*, *Castanea sativa* and *Eucalyptus globulus*. Tools that in many cases enable the possibility of classifying structural sawn timber into three structural qualities, which allows the different qualities of wood that the timber industry places on the construction market to be classified and valued.

Mechanical classification systems are currently being developed for the main species of the *Pinus* genus. This is one more step in the competitive improvement of this type of wood, as it improves the classification times and the classifying performance in the different mechanical qualities.

Both developments have enhanced the value of the wood of the different wood species characterized, and have promoted its use in construction.

DETALJER

OPPRINNELSE FOR TRE

Industri

TYPE TRE

Tre fra rundtvirke

TYPE TRE INVOLVERT

Pinus sylvestris, Pinus nigra, Pinus radiata, Pinus pinaster, Pseudotsuga menziessii, Larix sp, Quercus rubra, Abies alba

PÅVIRKNING PÅ MILJØ OG BIOLOGISK MANGFOLD

Positive, it mobilizes wood with a proper forest management

INNTÆKTSEFFEKT

Positive, more quality timber is mobilized

UTNYTTELSESPOTENSIAL

--

HUB

--

ØKONOMISK PÅVIRKNING

Structural timber value increases in 10€/m3 approximately

SPESIFIKKE KUNNSKAPSBEHOV

Knowledge about Physical-mechanical properties of wood. Harmonized rules

MOBILISERINGSPOTENSIAL

300,000 m3

BÆREKRAFTPOTENSIAL - VERDI

--

ENKEL IMPLEMENTERING

Very easy

ENKEL IMPLEMENTERING - EVALUERING

--

VIKTIGE FORUTSETNINGER

Experience on manufacturing and classification of structural timber

TYPE BEGIVENHET DER DENNE BPI HAR BLITT OMTALT

--

EFFEKT PÅ ARBEIDSPLASSER

Positive through better competitiveness

KOSTNADER MED IMPLEMENTERING (EURO - €)

--

needed

**MER
INFORMASJON**

UTFORDRING ADRESSERT

--

DOMENE

Skogindustri, bio/sirkulær økonomi

Industri for bygg i tre

TYPE LØSNING

--

NØKKEWORD

--

DIGITAL LØSNING

Nei

INNOVASJON

Nei

OPPRINELSESLAND

Spania

POTENSIALE

Nasjonal

START OG SLUTT ÅR

2011 -

**KONTAKT
INFORMASJON**

EIER ELLER FORFATTER

RAPPORTØR

edgar.lafuente@cesefor.com

**REFERENCES
AND RESOURCES**

HJEMMESIDE (HOVEDSIDE)

<http://www.cesefor.com>

PROSJEKTETS HJEMMESIDE

--

RESSURSER

--

REFERANSE TIL PROSJEKT


--

PROSJEKT SOM DETTE FAKTAARKET ER OPPRETTET UNDER

Rosewood

INNLEGGSDATO

30 aug 2019



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862681

A TOOL FROM ROSEWOOD 4.0, DESIGNED AND DEVELOPED BY

